



KMS BT-A 自动式胀破强度测试仪

Auto Bursting Strength Tester BT-A

自动式胀破强度测试仪，可检测针织物而至无纺布胀破强度，将油压施加在特定面积的橡胶膜片上，再迫使织物胀破。本仪器配有压力显示器、峰值上限设置及自动计算胀破强度，可更换的橡胶膜片，自动夹紧装置，数据打印功能。脚踏功能。

符合国际标准：ASTM3786、ISO2758

Automatic Bursting Strength Tester is for determining the bursting strength of knitted fabrics even nonwoven fabric by application of a hydraulic load under a rubber diaphragm of a specific area. Provided with a digital readout of pressure with auto peak hold facility and upper limited pressure setting and display bursting force with auto calculation, renewable rubber diaphragms, auto clamping device. With mini-printer for data print out. Foot paddle.

Standards: ASTM3786、ISO2758



规格 Specifications	
试样夹尺寸 Specimen holder dimensions	Φ 30.5±0.05 mm
弹性膜片尺寸 Rubber diaphragms dimensions	Φ 80 mm
胀破强度及分辨率 Strength (Max.) & resolution	0 ~ 5Mpa (5000kPa/725psi), 0.002MPa
纺织胶片应用范围 Textile Rubber diaphragms application range	0~2Mpa (2000kPa/290psi)
电源 Power	AC220 V, 250 W, 50-60 Hz
机台尺寸 Machine dimensions	420×470×500mm (W×D×H)
净重 Machine weight	Approx. 35.5kg
气压 Pneumatic	Max. 2.5 bar

香港：

KMS Colortech Service Co.Ltd
Unit 2005 Metro Centre II, 21 Lam Hing Street
Kowloon Bay, Hong Kong.
地址：香港九龙湾临兴街 21 号美罗中心二期 20 字楼 2005 室
电话：(852)27536176 传真：(852)27536049
电邮：sales@kmscolor.com / kmsgz@vip.163.com
网址：www.kmscolor.com

国内(partner)：

广州市同通仪器有限公司
地址：广州市番禺沙湾福田福龙民营工业区一街横一街 4 号
邮编：511483
广州电话：020-34730153
广州传真：020-34730152
广州手机：18675899688